

PHILIPS-SERVICE

695 A-20-29


16,5—51 m
198—585 m
725—2000 m

9602 Z = 7 Ω

110 V, 125 V, 145 V,
200 V, 220 V, 245 V.


55 W.

128 kc/s



725—2000 m I	198—585 m III	725—2000 m III
C10, C11, C12 min.	VOL. max. C10, C11, C12 + 15°	VOL. max. C10, C11, C12 + 15°
128 kc/s-33000 pF-g4B1	1442 kc/s — Y	395 kc/s — Y
C24—27000 Ω	C17, C14, C15 max.	C18 max.
VOL. max.	550 kc/s — Y	C22-2200 Ω-0,1 μF
C25 max.	-25 pF—aB1	-25 pF—aB1
C24	C22-2200 Ω-0,1 μF	160 kc/s — Y
C23-100000 Ω-0,1 μF	C10, C11, C12 max.	C10, C11, C12 max.
C22 max.	C22	C22
C23	C20 max.	C19 max.
C25—27000 Ω		
C24 max.		
C25		
C22-10000 Ω-0,1 μF		
C23 max.		
C22		
	16,7—51 m III	198—585 m IV
	VOL. max. C10, C11, C12 + 15°	VOL. max. 744 kc/s — Y
	17 Mc/s — Y	C10, C11, C12 max.
	C16 max.	1000 kc/s — Y
		C46 min.
725—2000 m II		
VOL. max.		
C10, C11, C12 max.		
128 kc/s — Y		
C13 min.		

15° 09 992 44.0




R 104 74 A

	B1	B2	B3	B4	B5	
	EK 2	EF 5	EBC 3	EL 3	EZ 3	
Va	280	250	105	265		V
Vg2	80	80	—	280		V
Vg3(5)	80	—	—	—		V
-Vg1	2	7	6,3	7,2		V
Ia	1,9	5,5	1,1	39		mA
Ig2	1,6	1,7	—	4,1		mA
Ig3(5)	4	—	—	—		mA

R1	82000/2 Ω	48 427 10/82K	C1	32 μF	28 182 40.0
R3	47000 Ω	48 425 10/47K	C2	32 μF	28 182 40.0
R4	390 Ω	48 425 10/390E	C3	50 μF	49 020 01.0
R5	1200 Ω	48 425 10/1K2	C4	50 μF	49 020 01.0
R6	33 Ω	48 425 10/33E	C5	0,1 μF	48 751 10/100K
R7	2700 Ω	48 425 10/2K7	C6	0,1 μF	48 751 10/100K
R8	3900 Ω	48 425 10/3K9	C7	0,47 μF	48 751 10/470K
R9	220 Ω	48 426 10/220E	C8	47000 Ω	48 751 10/47K
R10	0,1 MΩ	48 425 10/100K	C9	0,1 μF	48 751 10/100K
R11	27000 Ω	48 425 10/27K	C10	11-496 pF	
R12	1 MΩ	48 425 10/1M	C11	11-490 pF	28 211 42.1
R13	0,47 MΩ	48 425 10/470K	C12	11-490 pF	
R14	0,1 MΩ	48 425 10/100K	C13	12-270 pF	—
R15	0,5 MΩ	28 811 26.1	C14	2,5-30 pF	—
R16	1,5 MΩ	48 426 10/1M5	C15	2,5-30 pF	—
R17	1,5 MΩ	48 426 10/1M5	C16	2,5-30 pF	28 211 83.1
R18	0,1 MΩ	48 426 10/100K	C17	2,5-30 pF	—
R19	0,8 MΩ	48 425 10/820K	C18	2,5-30 pF	—
R20	0,1 MΩ	48 425 10/100K	C19	12-170 pF	28 211 31.0*
R21	470 Ω	48 425 10/470E	C20	12-170 pF	28 211 31.0*
R22	5 MΩ	28 811 49.0	C21	0,2 μF	48 751 10/220K
R24	1,5 MΩ	48 426 10/1M5	C22	12-170 pF	28 211 31.0*
R25	10000 Ω	48 426 10/10K	C23	12-170 pF	—
R26	33 Ω	48 425 10/33E	C24	12-170 pF	28 211 31.0*
R27	33 Ω	48 425 10/33E	C25	12-170 pF	—
R28	1000 Ω	48 426 10/1K	C26	500 pF	48 429 10/500E
R29	27000 Ω	48 426 10/27K	C28	10 pF	48 406 99/10E
R30	27000 Ω	48 426 10/27K	C29	15000 pF	48 751 10/15K
R31	2700 Ω	48 425 10/2K7	C30	27000 pF	48 751 10/27K
R33	2700 Ω	48 425 10/2K7	C31	15 pF	48 406 10/15E
			C32	530 pF	48 429 02/530E
			C33	1500 pF	48 429 02/1K5
			C34	47 pF	48 406 10/47E
			C35	0,1 μF	48 751 10/100K
			C36	10 pF	48 406 99/10E
			C37	2200 pF	48 751 10/2K2
			C38	100 pF	48 406 10/100E
			C39	400 pF	48 429 10/400E
			C40	22000 pF	48 751 10/22K
			C41	4000 pF	28 199 71.0
			C42	8000 pF	28 198 98.0
			C43	0,1 μF	48 751 10/100K
			C44	0,1 μF	48 751 10/100K
			C46	2,5-30 pF	28 211 83.1
			C47	22 pF	48 406 10/22E
			C48	500 pF	48 429 10/500E
			C49	250 pF	48 429 10/250E
			C51	20000 pF	28 201 65.0
			C52 ¹⁾	20000 pF	28 201 65.0
			Z1 ²⁾	0,3 A	08 100 96.1
			Z2 ²⁾	0,3 A	08 100 96.1

S1, S2, S4	28 529 53.0	S25	28 546 21.2
S5	28 546 08.1	S26, S27	28 527 45.1
S6, S13	28 570 48.1*	S28	28 220 23.0
S7, S8, C14, S9, S10	28 570 54.1	S29	28 587 17.0
S11, S12, C15	28 570 49.1*		
S13, S14, S15, S16	28 570 86.2		
S17, C17, C18	28 587 31.0*		
S18, S19	28 570 53.1		
S20, S21, C23	28 570 72.0		
S22, S23, S24, C25			

¹⁾ A-04
²⁾ A-14



R10480A

