


5-11 m
9.5-27 m
25-73 m

70-210 m
195-580 m
475 kc/s

9652 Z = 9 Ω


110, 125, 145, 200, 220, 245 V
90 W



<p>195-580 m I</p> <p>g1B3-0.1 μF-⊥</p> <p>C4, C5, C6 max.</p> <p>475 kc/s-33000 pF-g3B2</p> <p>C24, C23, C22, C21 max.</p> <p>g1B3 0.1 μF-⊥</p>	<p>70-210 m III</p> <p>C4, C5, C6 + 15°</p> <p>4.15 Mc/s-∇</p> <p>C17 C13, C9 max.</p> <p>g1B3-0.1 μF-⊥</p> <p>25 pF-aB2</p> <p>1460 kc/s-∇</p> <p>C4, C5, C6 1460 kc/s</p> <p>g1B3-0.1 μF-⊥</p> <p>C19 max.</p>	<p>9.5-27 m III</p> <p>C4, C5, C6 + 15°</p> <p>g1B3-0.1 μF-⊥</p> <p>25 pF-aB2</p> <p>30 Mc/s-∇</p> <p>C7, C11 max.</p> <p>g1B3-0.1 μF-⊥</p> <p>C15 max.</p>
<p>195-580 m II</p> <p>C4, C5, C6 max.</p> <p>475 kc/s-∇</p> <p>S39 min.</p>	<p>25-75 m III</p> <p>C4, C5, C6 + 15°</p> <p>g1B3-0.1 μF-⊥</p> <p>25 pF-aB2</p> <p>54.5 Mc/s-∇</p> <p>C32, C52 max.</p> <p>g1B3-0.1 μF-⊥</p> <p>C8, C12 max.</p> <p>g1B3-0.1 μF-⊥</p> <p>C16 max.</p>	<p>5-11 m III</p> <p>C4, C5, C6 + 15°</p> <p>g1B3-0.1 μF-⊥</p> <p>25 pF-aB2</p> <p>g1B3-0.1 μF-⊥</p> <p>C66 max.</p>
<p>195-580 m III</p> <p>C4, C5, C6 + 15°</p> <p>1460 kc/s-∇</p> <p>C18, C14, C10 max.</p> <p>g1B3-0.1 μF-⊥</p> <p>25 pF-aB2</p> <p>550 kc/s-∇</p> <p>C4, C5, C6 550 kc/s</p> <p>g1B3-0.1 μF-⊥</p> <p>C20-max.</p>	<p>195-580 m V</p> <p>1442 kc/s-∇</p> <p>C4, C5, C6 1442 kc/s</p> <p>208 m</p>	

15 09 992 44.0



R1	33000 Ω	48 425 10/33K	C1	32 μF	49 020 54.0
R2	0.68 MΩ	48 425 10/680K	C2	2 × 28 μF	28 182 54.0
R3	68 Ω	48 425 10/68E	C3	65 μF	28 182 59.0
R4	22 Ω	48 426 10/22E	C4	11-490 pF	
R5	8200 Ω	48 425 10/8K2	C5	11-490 pF	28 212 11.0
R6	2200 Ω	48 425 10/2K2	C6	11-490 pF	
R7	39000/2 Ω	48 427 10/39K	C7-C18	2.5-30 pF	
R8	12000 Ω	48 468 10/12K	C19	12-170 pF	28 211 31.0
R9	0.68 MΩ	48 425 10/680K	C20	12-170 pF	28 211 31.0
R10	27 Ω	48 425 10/27E	C21-		
R12	0.47 MΩ	48 426 10/470K	C24	12-170 pF	
R13	39000/2 Ω	48 427 10/39K	C25	500 pF	48 429 10 500E
R14	2200 Ω	48 425 10/2K2	C26	100 pF	48 406 10 100E
R15	0.68 MΩ	48 425 10/680K	C27	147 pF	48 429 02/147E
R16	330 Ω	48 425 10/330E	C28	47000 pF	48 751 10 47K
R17	8200 Ω	48 425 10/8K2	C29	47000 pF	48 751 10 47K
R18	68000/2 Ω	48 427 10/68K	C30	10 pF	48 406 99 10E
R19	1 MΩ	48 426 10/1M	C31	100 pF	48 406 10 100E
R20	6800 Ω	48 425 10/68K	C32	2.5-30 pF	28 211 83.1
R21	0.47 MΩ	48 426 10/470K	C33	47000 pF	48 751 10 47K
R22	0.12 MΩ	48 425 10/120K	C34	100 pF	48 406 10 100E
R24	1 MΩ	48 426 10/1M	C35	22000 pF	48 756 20 22K
R25	2.2 MΩ	48 427 10/2M2	C36	3350 pF	48 429 02 3K35
R26	1 MΩ	28 812 03.0	C37	1250 pF	48 429 02 1K25
R27	390 Ω	48 425 10/390E	C38	400 pF	48 429 05 400E
R28	1 MΩ	28 816 02.1	C40	47000 pF	48 750 10 47K
R29	1 MΩ	48 426 10/1M	C41	47000 pF	48 751 10 47K
R30	470 Ω	48 425 10/470E	C42	47000 pF	48 750 10 47K
R31	1500 Ω	48 425 10/1K5	C43	47000 pF	48 750 16 47K
R32	0.47 MΩ	48 425 10/470K	C44	47000 pF	48 751 10 47K
R33	0.68 MΩ	48 425 10/680K	C45	39 pF	48 406 10 39E
R34	1 MΩ	48 426 10/1M	C46	0.1 μF	48 751 10 100K
R35	1 MΩ	48 426 10/1M	C47	500 pF	48 429 10 500E
R36	1 MΩ	48 426 10/1M	C48	100 pF	48 406 10 100E
R37	2.2 MΩ	48 427 10/2M2	C49	27000 pF	48 750 10 27K
R38	0.1 MΩ	48 426 10/100K	C50	10000 pF	48 750 10 10K
R39	1 MΩ	48 426 10/1M	C51	10 pF	48 406 99 10E
R40	0.68 MΩ	48 425 10/680K	C52	2.5-30 pF	28 211 83.1
R41	1000 Ω	48 425 10/1K	C53	0.1 μF	48 750 10 100K
R42	0.1 MΩ	48 425 10/100K	C54	10000 pF	48 751 10 10K
R43	1000 Ω	48 425 10/1K	C55	6.8 pF	48 406 99 6E8
R44	33 Ω	48 426 10/33E	C56	500 pF	48 429 10 500E
R45	22000 Ω	48 425 10/22K	C57	8200 pF	48 751 10 8K2
R46	47 Ω	48 425 10/47E	C59	2000 pF	48 429 10 2K
R47	0.1 MΩ	48 425 10/100K	C60	4000/2 pF	28 201 71.0
R48	0.1 MΩ	48 425 10/100K	C61	47 pF	48 406 10 47E
R49	0.33 MΩ	48 425 10/330K	C63	2 pF	28 205 88.0
R50	0.33 MΩ	48 425 10/330K	C64	2 pF	28 205 88.0
R51	3900/2 Ω	48 427 10/3K9	C65	2000 pF	48 429 10 2K
R52	0.68 MΩ	48 425 10/680K	C66	2.5-30 pF	28 211 83.1
R53	0.33 MΩ	48 425 10/330K	C67	76 pF	48 429 02 76E
R54	2500 Ω	28 802 67.0	C68	32 μF	28 182 40.0
R55	0.47 MΩ	48 425 10/470K	C69	47000 pF	48 751 10 47K
R56	150 Ω	48 426 10/150E	C70	800 pF	48 429 10 800E
R57	150 Ω	48 426 10/150E	C71	40 pF	48 429 10 40E
R58	0.22 MΩ	48 425 10/220K	C72	500 pF	48 429 10 500E
R59	47 Ω	48 426 10/47E	C73	500 pF	48 429 10 500E
R60	12000 Ω	48 425 10/12K	C74	39 pF	48 406 10 39E
R61	27000 Ω	48 425 10/27K	C76	4700/2 pF	48 757 20 4K7
R63	10 Ω	48 425 10/10E	C77	12000 pF	48 750 10 12K
R64	0.47 MΩ	48 425 10/470K	C78	0.1 μF	48 750 10 100K
R65	2.2 MΩ	48 427 10/2M2	C79	10000 pF	48 750 10 10K
			C80	8 μF	49 020 50.0
			C81	1250 pF	48 429 10 1K25
			C82	2 pF	28 205 88.0




	B1	B2	B3	B4	B5	B6	B7
	EF8	EH12	EBC3	EF5	EBC 3	EBC3	EL 3
Va	225	280	140	105	145	145	250
Vg3	240						
Vg2		85		75			230
Ia	6	1.7	5	4.6	1.0	0.9	35
Ig3	0.14						
Ig2		3.8		1.5			5
	B8	B9	L10	L11	L12	B13	
	EL 3	1561	8045-37	8045-37	8045-07	EM 1	
Va	250						
Vg3							
Vg2	230						
Ia	35						
Ig3							
Ig2	5						

S1, S2, S3, S4	28 534 34.2	S30, S31, C21	28 570 99.0
S5	28 546 07.1	S32, C22	28 571 01.0
S6, S7, S8, S9, C7, C8	28 571 85.2	S33, S34, C23	28 570 99.0
S10, S11, S12, S13, C9, C10	28 571 86.1	S35, S50, C24	28 572 19.0
S14, S15, S16, S17, C11, C12	28 571 83.3	S36, S37	28 534 30.1
S18, S19, S20, S21, C13, C14	28 571 84.1	S28	28 220 61.0
S22, S23, S24, S25, C15, C16	28 572 02.3	S39	28 587 95.0
S26, S27, S28, S29, C17, C18	28 572 00.0	S41	28 588 13.1
		S42, S43	28 588 14.1
		S44, S45	28 588 15.1
		S46	28 587 98.1
		S47	28 588 17.0
		S48	28 546 38.0
		S49	28 587 02.0

362 A




EF8




EH2

B3, B5, B6




EBC3

B4











EF5


B7, B8



EL3



EM1



1561

R10852