

PHILIPS SERVICE

526 U


200—550 m
800—1900 m

4283 Z = 10 Ω

110—119 V, 120—130 V,
200—224 V, 225—250 V.


115 Kc/s

63 W



VOL

800—1900 m I	800—1900 m II	800—1900 m III
VOL. max	VOL. max	R8
C10, C11, C12 min	C10, C11, C12 max	25pF— aB1
R8	R8	333 Kc/s — Y
S12—15000 Ω	115 Kc/s — Y	C10, C11, C12 900 m
S15—15000 Ω	C36 min	R8
115 Kc/s—33000pF—g4B1	R8	C16 max
C23, C24 max.	200—550 m III	
S12, S15	VOL. max	
S 13—15000 Ω	C10, C11, C12 min	
S 14—15000 Ω	S12—22000 Ω	
C22, C25 max	C15 min	
R8	1333 Kc/s—g4B1	
	C10, C11, C12 max (1e)	
	1333 Kc/s—Y	
	C13, C14 max	
	S12	




R11090

	B1	B2	B3	B4	B5	B6	B8	
	CK2	CF2	CB1	CF1	CL2	CY1	CI	
Va	113	113		38	106			V
Vg2	60	60		58	102			V
Vg3(5)	60	—		—	—			V
-Vg	1,3	1,23		1,8	12			V
Ia	0,58	1,5		0,44	43			mA
Ig2	1,5	0,6		0,19	7,4			mA
Ig3(5)	3,2	—		—	—			mA

R1	150 Ω	48 427 10/150E	C1	32 μF	28 182 40.0
R2	10000 Ω	48 427 10/10K	C2	32 μF	28 182 40.0
R3	270 Ω	48 426 10/270E	C3	32 μF	28 182 40.0
R4	680 Ω	48 426 10/680E	C4	0,47 μF	48 751 10/470K
R5	3900 Ω	48 426 10/3K9	C5	47000 pF	48 751 10/47K
R6	470/2 Ω	48 427 10/470E	C6	0,1 μF	48 751 10/100K
R7	10000 Ω	48 426 10/10K	C7	25 μF	28 180 02.0
R8	47000 Ω	48 426 10/47K	C8	25 μF	28 180 02.0
R9	1 MΩ	48 426 10/1M	C9	80 pF	48 429 10/80E
R10	47000 Ω	48 426 10/47K	C10	0-430 pF	
R11	0,5 MΩ	28 808 61.0	C11	0-430 pF	28 210 14.0
R12	1 MΩ	48 426 10/1M	C12	0-430 pF	
R13	0,22 MΩ	48 426 10/220K	C13/		
R14	0,68 MΩ	48 426 10/680K	C16	125 pF	28 212 07.2
R15	0,47 MΩ	48 426 10/470K	C17	27000 pF	48 751 10/27K
R16*	60 Ω	28 796 84.0	C18	27000 pF	48 751 10/27K
R17	50000 Ω	28 808 29.0	C19	930 pF	48 423 02/930E
R18	250 Ω	28 799 41.0	C20	1810 pF	48 429 02/1K81
R19*	1000 Ω	28 796 85.0	C21	0,1 μF	48 751 10/100K
R20	1250 Ω	28 796 86.0	C22	40-145 pF	
R21	1000 Ω	48 425 10/1K	C23	40-145 pF	28 210 55.0
R22	100 Ω	48 426 10/100E	C24	40-145 pF	
R23	0,22 MΩ	48 426 10/220K	C25	40-145 pF	28 210 55.0
R24	100 Ω	48 426 10/100E	C26	100 pF	48 429 10/100E
			C27	10000 pF	48 751 10/10K
			C28	200 pF	48 429 10 200E
			C29	10000 pF	48 751 10/10K
			C30*	2000 pF	28 199 68.0
			C31	4700 pF	48 752 10 4K7
			C32	0,1 μF	48 751 10 100K
			C33	47000 pF	48 751 10 47K
			C34	0,22 μF	48 751 10/220K
			C35	0,22 μF	48 751 10/220K
			C36	200 pF	28 212 08.2
			C37	0,1 μF	48 751 10/100K
			C38	1000 pF	48 752 20/1K
			C39	0,1 μF	48 752 10/100K
			C40	10 pF	48 429 99/10E
			C41	0,1 μF	48 751 10/100K
			C42*	0,5 μF	28 205 86.1
			C43	2 pF	28 205 88.0

S2	28 545 19.1	S16, S17	28 519 20.1*
S3	28 561 27.1*	S18	25 152 42.2
S4, S5, S22, S23	28 564 27.1	S20, S21	28 562 90.0*
S6, S7	28 561 03.2*	M1	28 914 10.3
S8, S9, S10, S11	28 561 04.4*		
S12, S24, S13	28 564 29.0*		
S14, S15	28 564 30.0*		

S: 3	20, 21, 22, 23, 4, 5	6, 7	2, 8, 9, 10, 11	12, 13, 24	14, 15	16, 17, 18
C: 36, 38, 31, 9	13, 40, 10, 39, 36, 17, 18, 42, 11, 4, 43, 5, 1	12, 15, 2, 3, 16, 19, 20	24, 12, 1, 6, 23	24	25, 32, 33, 26	27, 28, 29, 8, 37, 30, 34, 35
R: 23	16, 18, 7	1, 3, 19, 20, 8	2	9, 4	10, 11	12, 13, 14, 15, 21, 6, 22, 17, 24



R11139

