

PHILIPS SERVICE


696 B



16.5—51 m
198—585 m
725—1975 m
128 kc/s

2315 Z = 5 Ω


2 V, 144 V, 120 V, 9 V
If = 1 A, Ia = 11 mA



VOL.

	725—1975 m I	725—1975 m II	725—1975 m IV
VOL.	max.	max.	max.
	C1, C2, C3 min.	128 kc/s—Y	744 kc/s—Y
	128 kc/s-32000 pF-g.B ₁	C1, C2, C3 max.	C1, C2, C3 403 m.
	C12—25000 Ω	C4 min.	1000 kc/s—Y
	C13 max.	198—585 m III	C6 min.
	C12	C1, C2, C3 + 15°	
	C11—25000 Ω	VOL. max.	
	C10 max.	1442 kc/s—Y	
	C11	C7, C14, C5 max.	
	C13—25000 Ω	725—1975 m III	
	C12 max.	C1, C2, C3 + 15°	
	C13	VOL. max.	
	C10—25000 Ω	395 kc/s—Y	
	C11 max.	C8 max.	
	C10		

15° 09 992 44.0




R10925


	B1	B2	B3	B4	B5	B6	
	KF2	B228	KF2	KBC1	KL4	KL4	
V _a	131	65	131	68	131	131	V
V _{g2}	119	—	131	—	131	131	V
-V _g	—	—	—	—	9	9	V
I _a	2,13	1,77	3,1	1,95	0,4	0,4	mA
I _{g2}	0,8	—	0,75	—	0,06	0,06	mA

R1	1.2 MΩ	48 426 10/1M2	C1	11-448 pF	28 211 42.1
R2	27000 Ω	48 426 10/27K	C2	11-448 pF	
R3	33000 Ω	48 426 10/33K	C3	11-448 pF	28 211 83.1
R4	33000 Ω	48 426 10/33K	C4	12-170 pF	
R5	15000 Ω	48 426 10/15K	C5	2,5-30 pF	28 211 31.0
R6	39 Ω	48 426 10/39E	C6	2,5-30 pF	
R7	0,47 MΩ	48 426 10/470K	C7	2,5-30 pF	28 211 31.0
R8	0,5 MΩ	28 811 560	C8	2,5-30 pF	
R9	0,22 MΩ	48 426 10/220K	C11	12-170 pF	28 211 31.0
R10	1 MΩ	48 426 10/1M	C10	12-170 pF	
R11	0,22 MΩ	48 426 10/220K	C12	12-170 pF	28 211 31.0
R12	1,5 MΩ	48 426 10/1M5	C3	12-170 pF	
R13	0,27 MΩ	48 426 10/270K	C14	2,5-30 pF	48 406 99/10E
R14	27000 Ω	48 426 10/27K	C15	10 pF	
R15	1 MΩ	48 426 10/1M	C16	15000 pF	48 751 10/15K
R16	22000 Ω	48 426 10/22K	C17	27000 pF	48 751 10/27K
R17	4700 Ω	48 426 10/4K7	C18	33 pF	48 406 10/33E
R18	15000 Ω	48 426 10/15K	C19	100 pF	48 406 10/100E
R19	0,22 MΩ	48 426 10/220K	C20	0,1 μF	48 751 10/100K
R20	8200 Ω	48 426 10/8K2	C21	22 pF	48 406 10/22E
R21	2,5 MΩ	28 811 62.1	C22	22000 pF	48 751 10/22K
			C23	764 pF	48 429 01/764E
			C24	1615 pF	48 429 01/1K615
			C25	0,1 μF	48 751 10/100K
			C26	100 pF	48 406 10/100E
			C27	0,1 μF	48 751 10/100K
			C28	100 pF	48 406 10/100E
			C29	10000 pF	48 751 10/10K
			C30	100 pF	48 406 10/100E
			C31	100 pF	48 406 10/100E
			C32	0,22 μF	48 751 10/220K
			C33	1100 pF	49 128 02.0
			C34	0,47 μF	48 751 10/470K
			C35	3300 pF	48 751 10/3K3
			C36	32 μF	28 182 400
			C37	27 pF	48 406 10/27E
			C38	1000 pF	48 752 20/1K
S1, C4	28 570 481	S14, S15	28 587 601		
S2, S3, S4, S5, C5	28 570 541	S16, S17, C10	28 570 522		
S6, S7, C14	28 570 491	S18, S19, S20, C12	28 570 720		
S8, S9	28 587 591	S21, S22, S23	28 532 111		
S10, S11, S12, S13	28 570 501	S24, S25, S26	28 530 520		
C7, C8		S27	28 220 230		


696 B




R 10499




B 1, 3




B 2




B 4




B 5, 6




A




B




C



D



E



F