



AKAI
AA-R32L

AA-R32L



MAIN AMP PCB (U) A1004A505A
(C,A) A1004A506A
(E,B,S) A1004A507A



KEY BOARD (1)


WARNING: Δ INDICATES SAFETY CRITICAL COMPONENTS. FOR CONTINUED SAFETY, REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURER'S RECOMMENDED PARTS.

AVERTISSEMENT: Δ IL INDIQUE LES COMPOSANTS CRITIQUES DE SECURITE. POUR MAINTENIR LE DEGRE DE SECURITE DE L'APPAREIL, NE REMPLACER QUE DES PIECES RECOMMANDEES PAR LE FABRICANT.

NOTE
UNLESS OTHERWISE SPECIFIED
ALL RESISTORS IN OHMS (1/4W) (S)
ALL CAPACITORS IN μ F 50 WV (J)
(FS) - FAIL SAFE RESISTORS

(RECEIVER)
AA-R32/L AMP
SCHEMATIC DIAGRAM
NO.4-2 821030A

AA-R32



TUNER PCB(U) A1004A5030
 (A,C) A1004A5031
 (S) A1004A5032


WARNING Δ INDICATES SAFETY CRITICAL COMPONENTS FOR CONTINUED SAFETY.
 REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURER'S
 RECOMMENDED PARTS.
 AVERTISSEMENT Δ IL INDIQUE LES COMPOSANTS CRITIQUES DE SECURITE
 POUR MAINTENIR LE DEGRE DE SECURITE DE L'APPAREIL.
 NE REMPLACER QUE DES PIECES RECOMMANDEES PAR LE FABRICANT.

- Δ 25K19
- Δ 35K73
- Δ 25K212
- Δ 25K223
- Δ 25C2990
- Δ 25A608K-HP
- Δ 25C236K-HP
- Δ 25C2370
- Δ 25C1000

NOTE
 1. ALL RESISTOR VALUES ARE IN OHMS UNLESS OTHERWISE SPECIFIED.
 2. ALL CAPACITOR VALUES ARE IN PICO FARADS UNLESS OTHERWISE SPECIFIED.
 3. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.


(RECEIVER)
AA-R32 TUNER
SCHEMATIC DIAGRAM
 No.4-3 821031 A

AA-R32/L



WARNING: Δ INDICATES SAFETY CRITICAL COMPONENTS FOR CONTINUI RE PLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUF- RECOMMENDE D PARTS

AVERTISSEMENT: Δ IL INDIQUE LES COMPOSANTS CRITIQUES DE SECURI POUR MAINTENIR LE DEGRE DE SECURITE DE L'APPAREIL. NE REMPLACER QUE DES PIECES RECOMMENDEES PAR LE FA



COMPONENTS FOR CONTINUED SAFETY.
 COMPONENTS ONLY WITH MANUFACTURER'S
 MARKING.


ÉLÉMENTS CRITIQUES DE SÉCURITÉ
 ÉLÉMENTS SEULEMENT AVEC LE MARQUAGE
 RECOMMANDÉ PAR LE FABRICANT

VOLTAGE MEASURED MODE:
 AFTER DEPRESSING THE RESET BUTTON.
 ⊙ INDICATES THAT TIMING PULSE WILL BE DISPLAYED

NOTE
 UNLESS OTHERWISE SPECIFIED
 ALL RESISTORS IN OHMS (1/4W, 1/2W)
 ALL CAPACITORS IN μF (50V, 10V)

(RECEIVER)
 AA-R32/L CONNECTION DIAGRAM
 NO.4-1 821029A


AA-R32L



TUNER PCB A1004A5033

WARNING: Δ INDICATES SAFETY CRITICAL COMPONENTS. FOR CONTINUED SAFETY, REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURER'S RECOMMENDED PARTS.
 AVERTISSEMENT: Δ IL INDIQUE LES COMPOSANTS CRITIQUES DE SÉCURITÉ. POUR MAINTENIR LE DEGRÉ DE SÉCURITÉ DE L'APPAREIL, NE REMPLACER QUE DES PIÈCES RECOMMANDÉES PAR LE FABRICANT.





NOTE
 UNLESS OTHERWISE SPECIFIED
 ALL RESISTORS IN OHMS 1/4W (J)
 ALL CAPACITORS IN pF 50 WV (J)
 (FS) - FAIL SAFE RESISTORS

(RECEIVER)
AA-R32L TUNER
SCHEMATIC DIAGRAM
 NO.4-4 821032A

1
 2
 3
 4
 5
 6
 7
 8