

PHILIPS SERVICE




676 A

200—600 m
900—2000 m

2165 Z = 7 Ω
103—253 V

80 W

200—600 m	900—2000 m
↑ A 77.5	↑ B41
1333 kc/s	300 kc/s—
VOL. max	VOL. max
C38, C41, C43 C45 max	C39, C40, C42, C44 max.
600 kc/s	
↑ 500 m.	




	B1	B2	B3	B4	B5	B6	B7	B8	
	E455	E455	E452T	E499	E463	E444	E499	1823	
Va	220	220	170	160	205	45	40		V
Vg2	125	125	125	—	205	15	—		V
Vg	5	5	2,6	8	16	5,5	—		V
Ia	2,5	2,5	3	0,18	33	—	—		mA
Ig2	0,5	0,5	1,1	—	3,8	—	—		mA

VC16 = 290 V VC5 = 215 V
VC17 = 230 V VC6 = 220 V


Copyright
N.V. Philips Gloeilampenfabrieken, Eindhoven
Imprimé en Hollande

R1	330 Ω	48 427 10/330E	C2	0,22 μF	48 750 10/220K
R2	330 Ω	48 427 10/330E	C3	0,47 μF	48 750 10/470K
R3	39 Ω	48 426 10/39E	C4	0,1 μF	48 750 10/100K
R4	39 Ω	48 426 10/39E	C5	0,1 μF	48 751 10/100K
R5	27000 Ω	48 427 10/27K	C6	0,1 μF	48 751 10/100K
R6	15000 Ω	48 427 10/15K	C7	0,47 μF	48 751 10/470K
R7	8200 Ω	48 427 10/8K2	C9	0,47 μF	48 750 10/470K
R8	0,1 MΩ	48 427 10/100K	C10	0,47 μF	48 751 10/470K
R9	1000 Ω	48 426 10/1K	C11	0,1 μF	48 750 10/100K
R10	0,1 MΩ	48 425 10/100K	C12	0,22 μF	48 752 10/220K
R11	0,68 MΩ	48 425 10/680K	C13	0,22 μF	48 752 10/220K
R12	0,18 MΩ	48 425 10/180K	C16	25 μF	48 312 11/25
R13	0,18 MΩ	48 425 10/180K	C17	25 μF	48 312 11/25
R14	10000 Ω	48 426 10/10K	C18	1000 pF	48 429 10/1K
R15	6800 Ω	48 427 10/6K8	C19	100 pF	48 429 10/100E
R16	0,33 MΩ	48 427 10/330K	C20	100 pF	48 429 10/100E
R17	0,15 MΩ	48 426 10/150K	C21	2000 pF	48 429 10/2K
R18	0,22 MΩ	48 425 10/220K	C22	160 pF	48 429 10/160E
R19	12000 Ω	48 427 10/12K	C23	125 pF	48 429 10/125E
R20	0,22 MΩ	48 425 10/220K	C24	80 pF	48 429 10/80E
R21	680 Ω	48 426 10/680E	C25	80 pF	48 429 10/80E
R22	2,2 MΩ	48 427 10/2M2	C26	10000 pF	48 752 10/10K
R23	0,22 MΩ	48 425 10/220K	C27	33000 pF	48 752 10/33K
R24	330 Ω	48 427 10/330K	C28	0,47 μF	48 750 10/470K
R25	{ 100 Ω	48 427 10/100E	C29	0,1 μF	48 750 10/100K
	{ 120 Ω	48 427 10/120E	C30	25 pF	48 429 10/25E
R26	68000 Ω	48 425 10/68K	C31	0,1 μF	48 750 10/100K
R27	0,12 MΩ	48 425 10/120K	C32	47000 pF	48 750 10/47K
R28	0,47 MΩ	48 425 10/470K	C33	1000 pF	48 429 10/1K
R29	0,68 MΩ	48 426 10/680K	C34	0-430 pF	
R30	0,47 MΩ	48 425 10/470K	C35	0-430 pF	25 828 60.0*
R31	0,33 MΩ	48 425 10/330K	C36	0-430 pF	
R32	1,2 MΩ	48 426 10/1M2	C37	0-430 pF	
R33	3900 Ω	48 426 10/3K9	C38	3-30 pF	28 212 36.4
R34	6100 Ω	—	C39	3-30 pF	28 212 36.4
R35	80 Ω	—	C40	3-30 pF	28 212 36.4
R36	0,47 MΩ	48 425 10/470K	C41	3-30 pF	28 212 36.4
			C42	3-30 pF	28 212 36.4
			C43	3-30 pF	28 212 36.4
			C44	3-30 pF	28 212 36.4
			C45	3-30 pF	28 212 36.4
			C46	27000 pF	48 750 10/27K
			C47	39000 pF	48 750 10/39K
			C48	100 pF	48 429 10/100E
			C49	25 pF	48 429 10/25E
			C50	0,1 μF	48 750 20/100K
			C51	0,1 μF	48 751 10/100K
			C52	25 pF	48 429 10/25E
			C53	39000 pF	48 750 10/39K
			C54	0,1 μF	48 751 10/100K
			C55	0,1 μF	48 750 10/100K
			C56	39000 pF	48 750 10/39K
			C57	0,1 μF	48 750 20/100K



A	2950
B	2982

S1, S2, S3, S4 S5	28 510 02.0* 25 727 99.0* 25 960 57.0*	S12, S13, S14, S15	25 960 59.0*
S6, S7, S8 S9, S10, S11	25 960 57.0* 25 960 58.0*	S16, S17, S18, S19 S20 S24	25 960 60.0* 28 560 00.0* 25 961 29.0*
Z	08 100 99.1		



R 12595

