












PHILIPS SERVICE

208 U-05


 16.5-51 m (18,2-5,88 Mc/s)
 196-570 m (1530-522 kc/s)
 750-1910 m (400-157 kc/s)

 9686 U-50 Z = 5 Ω
 110 V, 125 V, 220 V.

452 kc/s ± 34 W.


| | 196-570 m | 750-1910 m | 16,5-51 m |
|---|---|--|--|
| VOL. | max | max | max |
|  | C6, C8 + 15° | ↑ 1875 m (160 kc/s) | 17,8 Mc/s —  |
|  | 1450 kc/s —  | 160 kc/s —  | C6, C8  17,8 Mc/s |
|  | C38 max | C50 max | C14 max |
|  | C18 max | | |

15° 09 992 50.0



1946

| | | | | | |
|-----|-------------|----------------|------|------------|-----------------|
| R1 | 1200 Ω | 48 467 10/1K2 | C1 | 50 μF/ | 48 317 08/50+50 |
| R11 | 0,5 MΩ | 49 500 11.0 | C2 | 50 μF/ | |
| R12 | 47 KΩ | 48 557 10/47K | C6 | 11-400 pF/ | A9 863 99.0 |
| R31 | 0,82 MΩ | 48 557 10/820K | C8 | 11-400 pF/ | |
| R32 | 10 KΩ | 48 557 10/10K | C14 | 32 pF | 49 005 51.2 |
| R33 | 68 KΩ | 48 557 10/68K | C18 | 32 pF | 49 005 51.2 |
| R34 | 1,5 MΩ | 48 557 10/1M5 | C19 | 39 pF | 48 203 10/39E |
| R35 | 6,8 MΩ | 48 557 10/6M8 | C20 | 22 pF | 48 201 10/22E |
| R36 | 0,68 MΩ | 48 557 10/680K | C38 | 32 pF | 49 005 51.2 |
| R39 | 520 Ω | — | C40 | 33 pF | 48 203 10/33E |
| R40 | 600 Ω | 49 362 90.2 | C48 | 395 pF | 48 203 01/395E |
| R44 | 75 Ω | — | C50 | 200 pF | 49 005 53.2 |
| R45 | 580 Ω | — | C51 | 103 pF | — |
| R42 | 10 KΩ | 48 557 10/10K | C52 | 103 pF | — |
| R43 | 150 Ω | 48 494 10/150E | C61 | 103 pF | — |
| R48 | 6,8 MΩ | 48 557 10/6M8 | C62 | 103 pF | — |
| R75 | 220Ω par | 48 557 10/220E | C75 | 125 μF | 48 313 22/100 |
| | 270Ω = 120Ω | 48 557 10/270E | C85 | 4700 pF | 48 757 20/4K7 |
| R81 | 47 KΩ | 48 557 10/47K | C100 | 1000 pF | 48 757 20/1K |
| R82 | 390 Ω | 48 467 10/390E | C101 | 100 pF | 48 203 10/100E |
| | | | C102 | 470 pF | 48 203 10/470E |
| | | | C103 | 82 pF | 48 203 10/82E |
| | | | C104 | 47000 pF | 48 751 10/47K |
| | | | C105 | 47000 pF | 48 750 10/47K |
| | | | C106 | 6800 pF | 48 751 10/6K8 |
| | | | C107 | 100 pF | 48 203 10/100E |
| | | | C108 | 68 pF | 48 203 10/68E |
| | | | C110 | 22000 pF | 48 758 10/22K |
| | | | C111 | 56 pF | 48 203 10/56E |
| | | | C121 | 22000 pF | 48 750 10/22K |



R14116

| | B2 | B3 | B5 | B6 | |
|--------|----------------------|----------------------|--------|------|----|
| | UCH 21 | UCH 21 | UBL 21 | UYIN | |
| Va | aT = 80 aH = 110 | aT = 25 aH = 110 | 105 | — | V |
| Vg2(4) | 70 | 70 | 115 | — | V |
| Vk | 0 | 0 | 0 | — | V |
| Ia | aT = 2,8 aH = 1,3 | aT = 1,3 aH = 1,9 | 35 | — | mA |
| Ig2(4) | 2,6 | 1,3 | 5,6 | — | mA |

VCl = 145 V, VC2 = 115 V, VC3 = 120 V, VC75 = 6 V, VS71 = 30 V, IS71 = 54mA.

| | | | |
|---------------------------------|--------------|---------------------------------|--------------|
| S13, S14, S17, S18 | A1 037 48.0* | S61, S62, S63, S64, C61, C62 | A1 037 12.4* |
| S19, S20 | A1 002 07.1 | S76 | |
| S33, S34, S37, S38, S100 | A1 038 83.1* | S81, S82 | 49 981 13.1 |
| S39, S40 | | A1 002 08.0* | A1 081 82.0* |
| S51, S52, S53, S54, C51, C52 | A1 037 13.0* | | |

93 953.13.1

