


13,5—45 m
45—165 m
165—560 m
452 kc/s

49 238 09 Z = 5 Ω

110 V, 125 V, 145 V,
200 V, 220 V, 245 V.
50 W


13,5—45 m	I	13,5—45 m	III	165—560	III
C3, C4, C5 min.		VOL. max.		VOL. max.	
C33		20,5 Mc/s—Y		C3, C4, C5 + 15°	
VOL. max.		C3, C4, C5 20,5 Mc/s		1740 kc/s—Y	
452 kc/s-33000 pF-g1B1		C8, C15, max.		C26, C17, C10 max. :	
S25/S31—82 pF				25 pF—αB2	
S26/S27 max.		45—165 m	III	C5	
S25/S31				600 kc/s—Y	
S24—82 pF		C3, C4, C5 + 15°		C3, C4, C5 500 m	
S25/S31, S23 max.		VOL. max.		C5	
S24		6,1 Mc/s—Y		C5	
S23—82 pF		C25, C16, C9 max.		C30 max.	
S24 max.				165—560 m	V
S23				857 kc/s—Y	
				C3, C4, C5 857 kc/s	
				350 m	

15° 09 992 44.0




R11071

R1	1800 Ω	48 467 10/1K8	C1	50 μF	48 312 09/50
R2	0,82 MΩ	48 425 10/820K	C2	50 μF	4831709/50+30
R3	39 Ω	48 425 10/39E	C50	30 μF	
R4	10000 Ω	48 427 10/10K	C3	11-490 pF	
R5	33000 Ω	48 425 10/33K	C4	11-490 pF	28 212 73.3
R6	0,47 MΩ	48 425 10/470K	C5	11-490 pF	
R7	150 Ω	48 425 10/150E	C6	10000 pF	48 750 10/10K
R8	0,1 MΩ	48 427 10/100K	C7	68 pF	48 406 20/68E
R9	220 Ω	48 425 10/220E	C8	20 pF	49 005 05.2
R10	39000 Ω	48 425 10/39K	C9	20 pF	49 005 05.2
R11	2x10000 Ω	48 426 10/10K	C10	20 pF	49 005 05.2
R14	0,1 MΩ	48 426 10/100K	C11	100 pF	48 406 20/100E
R15	0,47 MΩ	48 425 10/470K	C12	10000 pF	48 751 20/10K
R16	0,18 MΩ	48 425 10/180K	C14	19000 pF	48 751 20/10K
R17	0,35 MΩ	49 500 13.0	C15	20 pF	49 005 05.2
R18	2,2 MΩ	48 427 10/2M2	C16	20 pF	49 005 05.2
R19	4,7 MΩ	48 427 10/4M7	C17	20 pF	49 005 05.2
R20	1 MΩ	48 426 10/1M	C19	10000 pF	48 750 10/10K
R21	0,33 MΩ	48 425 10/330K	C20	56000 pF	48 751 10/56K
R22	1000 Ω	48 425 10/1K	C21	55 pF	48 406 10/56E
R23	0,5 MΩ	49 473 040	C22	100 pF	48 406 10/100E
R24	180 Ω	48 426 10/180E	C23	220 pF	48 406 10/220E
R25	2,7 MΩ	48 427 10/2M7	C24		49 005 13.0
R26	2,7 MΩ	48 427 10/2M7	C25	20 pF	49 005 05.2
R27	18000 Ω	48 425 10/18K	C26	20 pF	49 005 05.2
R28	330 Ω	48 425 10/330E	C27	5750 pF	49 429 02/5K75
R29	3300 Ω	48 425 10/3K3	C28	1600 pF	48 429 02/1K6
R30	3300 Ω	48 425 10/3K3	C29	400 pF	48 406 10/400E
R31	1 MΩ	48 425 10/1M	C30	125 pF	28 212 07.2
R32	1 MΩ	48 425 10/1M	C31	94 pF	
R33	10000 Ω	48 425 10/10K	C32	97 pF	
R35	0,1 MΩ	48 425 10/100K	C33	47000 pF	48 750 20/47K
R36	10000 Ω	48 425 10/10K	C35	56000 pF	48 751 10/56K
R37	2,2 MΩ	48 426 10/2M2	C37	103 pF	
R38	1 MΩ	48 426 10/1M	C38	113 pF	
R39	0,47 MΩ	48 425 10/470K	C39	100 pF	48 406 10/100E
R40	1,5 MΩ	49 375 62	C40	50 pF	48 313 02/50
R41	5,6 MΩ	48 427 10/5M6	C41	22000 pF	48 751 10/22K
R43	5600 Ω	48 427 10/5K6	C43	22000 pF	48 751 10/22K
R51	39/2 Ω	48 427 10/39E	C44	2200 pF	48 757 20/2K2
			C45	56 pF	48 406 10/56E
			C46	390 pF	48 406 10/390E
			C47	0,1 μF	48 751 20/100K
			C48	0,1 μF	48 750 10/100K
			C49	33000 pF	48 751 10/33K
			C50	15 pF	C2
			C51	50 pF	49 020 01.0
			C52	680 pF	49 128 00.0
			C53	0,1 μF	48 751 10/100K
			C54	10000 pF	48 750 10/10K
			C55	10000 pF	48 750 20/10K
			C56	1,5 pF	49 055 60.0
			C57	3,3 pF	48 406 99/3E3
			C58	47000 pF	48 750 10/47K
			C59	22 pF	48 406 10/22E
			C62	33 pF	48 406 10/33E
			C63	47000 pF	48 751 20/47K
			C64	47000 pF	48 750 10/47K



R10937




R11389

	B1	B2	B3	B4	B5	B6	B8	
	EF 8	ECH 3	EBF 2	EBF 2	EL 3	AZ 1	EM 4	
Va	140	aT 110 aH 220	225	15	265		65 45	V
Vg2(4)	200	50	65	20	225		230	V
Vk	0,3	1	—	—	5,5		—	V
Ia	8,3	aT 5 aH 1	2,9	0,52	29		0,03 0,04	mA
Ig2(4)	0,27	1,65	1,—	0,2	2,87		0,06	mA

VC1 = 275 V
VC2 = 225 V
VC50 = 200 V

Copyright - N.V. Philips
Gloeilampenfabrieken Eindhoven, Holland
Imprimé en Hollande

- B 1
48
- EF 8
B 2
54
- ECH 3
B 3 B 4
46
- EBF 2
B 5
40a
kg3(m)
- EL 3
B 6
61
- AZ 1
B 8
58
kg, g1
a1 d1
a2 d2
g
- EM 4



R 71948

