


13,5-45 m  
45-165 m  
165-560 m  
452 kc/s

49 238 09 Z = 5 Ω


110 V, 125 V, 145 V,  
200 V, 220 V, 245 V.  
50 W




R11871

165-560 m I	13,5-45 m III	165-560 III
C3, C4, C5 min. C33 VOL max. 452 kc/s-33000 pF-g1B1 S25/S31-82 pF S26/S27 max. S25/S31 S24-82 pF S25/S31, S23 max. S24 S23-82 pF S24 max. S23	VOL max. 29,5 Mc/s- C3, C4, C5 20,5 Mc/s C8, C15, max. 45-165 m C3, C4, C5 + 15° VOL max. 6,1 Mc/s- C25, C16, C9 max.	VOL max. C3, C4, C5 + 15° 1710 kc/s- C26, C17, C10 max. 25 pF -aB2 C5 600 kc/s- C3, C4, C5 500 m C5 C30 max. 165-560 m V 857 kc/s- C3, C4, C5 857 kc/s 350 m C33

15° 09 992 44.0



R10937



R11389

R1 1800 Ω	48 467 10/1K8	C1 50 μF	48 312 09/50
R2 0,82 MΩ	48 425 10/820K	C2 50 μF	48 313 02/50
R3 39 Ω	48 425 10/39E	C50 30 μF	48 317 09/50+30
R4 10000 Ω	48 427 10/10K	C3 11-490 pF	28 212 73.3
R5 33000 Ω	48 425 10/33K	C4 11-490 pF	48 750 10/10K
R6 0,47 MΩ	48 425 10/470K	C5 11-490 pF	48 406 20/68E
R7 150 Ω	48 425 10/150E	C6 10000 pF	49 005 05.2
R8 0,1 MΩ	48 427 10/100K	C7 68 pF	49 005 05.2
R9 220 Ω	48 425 10/220E	C8 20 pF	49 005 05.2
R10 39000 Ω	48 425 10/39K	C9 20 pF	49 005 05.2
R11 2x10000 Ω	48 426 10/10K	C10 20 pF	49 005 05.2
R14 0,1 MΩ	48 426 10/100K	C11 100 pF	48 406 20/100E
R15 0,47 MΩ	48 425 10/470K	C12 10000 pF	48 751 20/10K
R16 0,18 MΩ	48 425 10/180K	C14 10000 pF	48 751 20/10K
R17 0,35 MΩ	49 500 13.0	C15 20 pF	49 005 05.2
R18 2,2 MΩ	48 427 10/2M2	C16 20 pF	49 005 05.2
R19 4,7 MΩ	48 427 10/4M7	C17 20 pF	49 005 05.2
R20 1 MΩ	48 426 10/1M	C19 10000 pF	48 750 10/10K
R21 0,33 MΩ	48 425 10/330K	C20 56000 pF	48 751 10/56K
R22 1000 Ω	48 425 10/1K	C21 55 pF	48 406 10/56E
R23 0,5 MΩ	49 473 040	C22 100 pF	48 406 10/100E
R24 180 Ω	48 426 10/180E	C23 220 pF	48 406 10/220E
R25 2,7 MΩ	48 427 10/2M7	C24	49 005 13.0
R26 2,7 MΩ	48 427 10/2M7	C25 20 pF	49 005 05.2
R27 18000 Ω	48 425 10/18K	C26 20 pF	49 005 05.2
R28 330 Ω	48 425 10/330E	C27 5750 pF	48 429 02/5K75
R29 3300 Ω	48 425 10/33K3	C28 1600 pF	48 429 02/1K6
R30 3300 Ω	48 425 10/3K3	C29 400 pF	48 406 10/400E
R31 1 MΩ	48 425 10/1M	C30 15-175 pF	49 005 52.0
R32 1 MΩ	48 425 10/1M	C31 94 pF	—
R33 10000 Ω	48 425 10/10K	C32 97 pF	—
R35 0,1 MΩ	48 425 10/100K	C33 47000 pF	48 750 20/47K
R36 10000 Ω	48 425 10/10K	C35 56000 pF	48 751 10/56K
R37 2,2 MΩ	48 426 10/2M2	C37 103 pF	—
R38 1 MΩ	48 426 10/1M	C38 113 pF	—
R39 0,47 MΩ	48 425 10/470K	C39 100 pF	48 406 10/100E
R40 1,5 MΩ	49 375 62.0	C40 50 pF	48 313 02/50
R41 5,6 MΩ	48 427 10/5M6	C41 22000 pF	48 751 10/22K
R43 5600 Ω	48 427 10/5K6	C43 22000 pF	48 751 10/22K
R51 39/2 Ω	48 427 10/39E	C44 2200 pF	48 757 20/2K2
		C45 56 pF	48 406 10/56E
		C46 390 pF	48 406 10/390E
		C47 0,1 μF	48 751 20/100K
		C48 0,1 μF	48 750 10/100K
		C49 33000 pF	48 751 10/33K
		C50 15 μF	C2
		C51 50 pF	48 313 02/50
		C52 680 pF	49 128 00.0
		C53 0,1 μF	48 751 10/100K
		C54 10000 pF	48 750 10/10K
		C55 10000 pF	48 750 20/10K
		C56 1,5 pF	49 055 60.0
		C57 3,3 pF	48 406 99/3E3
		C58 47000 pF	48 750 10/47K
		C59 22 pF	48 406 10/22E
		C60 33 pF	48 406 10/33E
		C61 47000 pF	48 751 20/47K
		C62 47000 pF	48 750 10/47K
		C63 47000 pF	48 751 20/47K
		C64 47000 pF	48 751 20/47K

	B1	B2	B3	B4	B5	B6	B8	
	EF 8	ECH 3	EBF 2	EBF 2	EL 3	AZ 1	EM 4	
Va	140	aT 110 aH 220	225	15	265		65 45	V
Vg2(4)	200	50	65	20	225		230	V
Vk	0,3	1	—	—	5,5		—	V
Ia	8,3	aT 5 aH 1	2,9	0,52	29		0,03 0,04	mA
Ig2(4)	0,27	1,65	1,—	0,2	2,87		0,06	mA

VC1 = 275 V  
VC2 = 225 V  
VC50 = 200 V

Copyright - N.V. Philips  
Gloeilampenfabrieken Eindhoven, Holland  
Imprimé en Hollande

S1, S2, S3, S4 S5, S6, S7, S8 S9, S10 S12, S13, S14 S15, S16 S17, S18, S19, S20 S21, S22	A1 055 44.3 A1 035 61.1 A1 035 64.0 A1 035 62.2 A1 035 65.1 A1 035 63.5 A1 035 66.1	S23, S24, S32 S35, C31, C32 S25, S26, S27 S31, C37, C38 S28, S29, S30, S34 S33	A1 036 08.3 A1 036 09.3 A1 103 17.0 28 220 51.1
A+B	RC 6		

