

PHILIPS SERVICE

768 U


13,7—51 m
48—175 m
175—585 m
708—2000 m

9636-05 Z = 5 Ω

110 V, 125 V, 200 V, 220 V.


468 kc/s
U-19 452 kc/s

42 W



175—585 m III		708—2000 m III		175—585 m V	
VOL. max.		25 pF—aB2		1154 kc/s—Y	
max.		C7		C6, C7 max.	
C6, C7 + 15°		160 kc/s—Y		260 m	
1650 kc/s—Y		C6, C7 160 kc/s			
C18		C7			
25 pF—aB2		VOL. max.			
C7		max.			
600 kc/s—Y		C49 max.			
C6, C7 500 m					
C7					
C38 max.					

15° 09 992 44.0



P/10388A

R1	1200 Ω	49 362 74.0	C1	50 pF	49 031 01.0
R11	0.5 MΩ	49 470 30.0	C2	50 pF	28 185 68.1
R21	50000 Ω	49 470 49.0	C3	100 pF	28 212 52.0
R31	0.47 MΩ	48 425 10/470K	C6	11-490 pF	48 406 99/3E9
R32	15000 Ω	48 426 10/15K	C7	11-490 pF	28 205 88.0
R33	15000 Ω	48 426 10/15K	C14	3.9 pF	28 212 06.2
R35	39 Ω	48 425 10/39E	C16	2 pF	48 406 10/22E
R41	22000 Ω	48 425 10/22K	C18	32 pF	48 406 10/18E
R42	0.1 MΩ	48 425 10/100K	C19	22 pF	28 212 06.2
R43	47000 Ω	48 425 10/47K	C20	18 pF	48 406 02/637E
R45	0.68 MΩ	48 425 10/680K	C38	32 pF	48 406 01/450E
R46	1.5 MΩ	48 426 10/1M5	C40	39 pF	48 406 99/39E
R47	0.82 MΩ	48 425 10/820K	C45	637 pF	48 406 02/637E
R48	0.82 MΩ	48 425 10/820K	C47	663 pF	48 406 02/663E
R50	1.5 MΩ	48 426 10/1M5	C49	450 pF	28 212 08.2
R51	56000 Ω	48 425 10/56K	C51	200 pF	—
R61	330 Ω	48 467 10/330E	C51	103 pF	—
R60	100 Ω	48 425 10/100E	C52	103 pF	—
R62	180 Ω	—	C61	103 pF	—
R63	125 Ω	49 362 47.3	C62	103 pF	—
R64	39 Ω	—	C81	3.3 pF	48 406 99/3E3
R81	47000 Ω	48 425 10/47K	C82	82 pF	48 406 10/82E
R82	0.1 MΩ	48 425 10/100K	C83	22000 pF	48 750 20/22K
			C85	4700 pF	48 757 20/4K7
			C100	100 pF	48 406 10/100E
			C101	47000 pF	48 751 20/47K
			C102	470 pF	48 406 20/470E
			C103	150 pF	48 406 10/150E
			C104	47 pF	48 406 10/47E
			C106	1000 pF	48 757 20/1K
			C107	4700 pF	48 757 20/4K7
			C117	220 pF	48 406 10/220E
			C120	4700 pF	48 751 20/4K7
			C121	47000 pF	48 750 20/47K
			C122	10000 pF	48 751 20/10K
			C123	4700 pF	48 757 20/4K7
			C126	2200 pF	48 751 20/2K2
			C127	47000 pF	48 750 20/47K
			C130	0.1 pF	48 757 20/100K
			C131	22000 pF	48 756 20/22K
			C132	4700 pF	48 752 20/4K7

	220 V~				V
	B2	B3	B5	B6	
	UCH 21	UCH 21	UBL 21	UY1 N	
Va	aT 107 aH 158	aT 56 aH 156	165		V
Vg2(4)	103	100	145		V
Ia	aT 2,95 aH 2,2	aT 0,96 aH 4,1	48		mA
Ig2(4)	3,8	2,51	7,7		mA

S13, S14, S15, S16	A1 037 14.0	S61, S62, S63, S64,	A1 037 61.1
S17, S18, S19, S20	A1 037 16.1	C61, C62	
S33, S34, S35, S36	A1 037 32.0	S71, S72, S73	A1 151 17.0
S37, S38, S39, S40	A1 037 17.2	S74, S75	A1 000 34.0
S51, S52, C51	A1 037 33.1	S76	28 220 51.1
S53, S54, S55, C52	A1 037 34.1	S81, S82, S83	A1 081 99.1
		S84, S85	A1 103 12.0

