


PHILIPS SERVICE

BX 402 B

16,5- 50,5 m (18,2 - 5,94 Mc/s)
 55 - 185 m (5,45- 1,622 Mc/s)
 185 - 580 m (1622 -517 kc/s)
 750 -2000 m (400 -150 kc/s)

9770 FX Z = 5Ω

Vb = 90 V; IB = 11 mA
 Vf = 1,5 V; If = 275 mA




452 kc/s

185-580 m I	16,5-50,5 m III	185-580 m III
C6, C7 min VOL. max 452 kc/s-33000 pF-g1B3 S62 max S61 max 452 kc/s-33000 pF-g4B2 S51 max S52 max	VOL. max C6, C7 min ↑ 1 2 17,7 Mc/s— Y C34 max 3 6,05 Mc/s— Y C45 max C6, C7-2 17,7 Mc/s— Y C14 max	VOL. max C6, C7 min ↑ 1 2 1530 kc/s— Y C38 max 3 544 kc/s— Y C48 max C6, C7-2 1530 kc/s— Y C18 max
185-580 m II	55-185 m III	750-2000 m III
C6, C7 452 kc/s— Y C91 min	VOL. max C6, C7 min ↑ 1 2 5,1 Mc/s— Y C26, C16 max	VOL. max C6, C7 min ↑ 1 2 380 kc/s— Y C40 max 3 156 kc/s— Y C50 max C6, C7-2 380 kc/s— Y C20 max

1951

R11	0,65 MΩ	49 501 07.0	C1	50 μF	4831758/50+50
R12	0,2 MΩ		C2	50 μF	
R21	0,2 MΩ	49 477 00.0	C6	12-492 pF	49 001 13.2
R22	2 MΩ		C7	12-492 pF	
R31	1 MΩ	48 555 10/1M	C13	4700 pF	48 751 10/4K7
R32	0,27 MΩ	48 555 10/270K	C14	50 pF	49 005 50.2
R33	10000 Ω	48 556 10/10K	C16	25 pF	49 005 49.2
R34	47 Ω	48 555 10/47E	C18	25 pF	49 005 49.2
R35	0,18 MΩ	48 555 10/180K	C19	12 pF	48 201 10/12E
R36	68000 Ω	48 555 10/68K	C20	50 pF	49 005 50.2
R37	1,2 MΩ	48 555 10/1M2	C34	30 pF	28 212 36.4
R38	47000 Ω	48 555 10/47K	C36	30 pF	28 212 36.4
R39	2,2 MΩ	48 555 10/2M2	C38	30 pF	28 212 36.4
R40	0,47 MΩ	48 555 10/470K	C40	30 pF	28 212 36.4
R41	1,5 MΩ	48 555 10/1M5	C45	175 pF	49 005 52.2
R42	2,2 MΩ	48 555 10/2M2	C46	1350 pF	48 429 02/1K35
R43	390 Ω	48 555 05/390E	C48	400-575 pF	49 005 55.2
R44	47 Ω	48 555 10/47E	C49	39 pF	48 203 10/39E
R81	33000 Ω	48 555 10/33K	C50	175 pF	49 005 52.2
R82	39000 Ω	48 555 10/39K	C51	115 pF	
R83	2700 Ω	48 555 10/2K7	C52	115 pF	
R84	1,5 MΩ	48 555 10/1M5	C61	115 pF	
R85	2,7 MΩ	48 555 10/2M7	C62	115 pF	
R86	4,7 MΩ	48 555 10/4M7	C82	47 pF	48 203 10/47E
R87	0,47 MΩ	48 555 10/470K	C83	2200 pF	48 751 10/2K2
			C84	1000 pF	48 751 20/1K
			C85	1000 pF	48 751 20/1K
			C86	1000 pF	48 751 20/1K
			C91	30 pF	28 212 36.4
			C101	47000 pF	48 750 10/47K
			C102	47000 pF	48 750 10/47K
			C103	10000 pF	48 750 10/10K
			C104	22 pF	48 201 10/22E
			C105	47000 pF	48 750 10/47K
			C106	25 μF	48 313 22/25
			C107	2200 pF	48 751 10/2K2
			C109	100 pF	48 203 10/100E
			C110	56 pF	48 203 10/56E
			C111	470 pF	48 203 10/470E
			C130	10000 pF	48 750 10/10K




R13573A

	B2	B3	B4	B4a	B5	B6	
	DK 40	DF 91	DAF 41	DAF 91	DL 41	DL 41	
Va	90	90	40	24	88	88	V
Vg2	53	48	32	—	90	90	V
Vg5	65	—	—	—	—	—	V
Ia	0,56	1,85	0,1	0,14	2,50	2,50	mA
Ig2	2,75	0,65	0,02	—	0,35	0,35	mA
Ig5	0,27	—	—	—	—	—	mA

S13, S14, S17, S18	A3 124 34.0	S51, S52, S52a, } C51, C52	A3 122 90.0
S15, S16, S19, } S20, S100	A3 124 35.0	S61, S62, C61, C62	A3 121 94.2
S33, S33a, S34, } S39, S40	A3 124 33.0	S81, S82, S83	A3 152 40.0
S35, S36, S37, S38	A3 124 36.0	S91	A3 112 76.0
		S76	49 981 64.0

93 953 50.1



R13575A

BX 402 B

